

DEUTZ

 Code 

0-9	
8220.02.842	102
8360.05.670	102

B	
BA 16M 816	60
BA 6M 816	60
BA 8M 816	60
BF 10L 413 F	48
BF 12L 413	50
BF 12L 413 F	50
BF 12L 513	50
BF 12L 513 F	50
BF 3L 2011	92
BF 3L 914	74
BF 3M 2011	92
BF 4L 1011	86
BF 4L 1011 F	86
BF 4L 1011 FT	86
BF 4L 2011	92
BF 4L 913	70
BF 4L 913 T	70
BF 4L 914	76
BF 4M 1011 F	86
BF 4M 1012	88
BF 4M 1012 C	88
BF 4M 1012 E	88
BF 4M 1012 EC	88
BF 4M 1013	88
BF 4M 1013 C	88
BF 4M 1013 E	88
BF 4M 1013 EC	88
BF 4M 2011	92
BF 4M 2012	94
BF 4M 2012 C	94
BF 4M 2012 C*	94
BF 4M 2013	98
BF 4M 2013 C	98
BF 6L 912	68
BF 6L 913	72
BF 6L 913 C	72
BF 6L 913 T	72
BF 6L 914	80
BF 6L 914 C	80

 Code 

BF 6M 1012	88
BF 6M 1012 C	88
BF 6M 1012 E	88
BF 6M 1012 EC	88
BF 6M 1013	88
BF 6M 1013 C	88
BF 6M 1013 CP	88
BF 6M 1013 E	88
BF 6M 1013 EC	88
BF 6M 1013 ECP	88
BF 6M 1015	90
BF 6M 1015 C	90
BF 6M 1015 CP	90
BF 6M 2012 C	96
BF 6M 2012 C*	96
BF 6M 2013	98
BF 6M 2013 C	98
BF 6M 716	58
BF 8L 413 F	46
BF 8L 513	54
BF 8L 513-225	54
BF 8L 513-243	54
BF 8L 513 LC	54
BF 8M 1015	90
BF 8M 1015 C	90
BF 8M 1015 CP	90
BF 8M 716	58

D	
D 914 L3	76
D 914 L4	78
D 914 L5	80
D 914 L6	82

F	
F 10L 413	48
F 10L 413 F	48
F 10L 413 FW	50
F 10L 513	54
F 10L 714	56
F 12L 413	50
F 12L 413 F	50
F 12L 413 FW	50
F 12L 513	50

 Code 

F 12L 714	56
F 12M 716	60
F 1L 411 D	44
F 1L 511 D	52
F 1L 712	54
F 1L 812	54
F 2L 1011	84
F 2L 1011 F	84
F 2L 2011	94
F 2L 411 D	44
F 2L 511 D	52
F 2L 514	54
F 2L 712	56
F 2L 812	56
F 2L 912	64
F 2M 2011	94
F 3L 1011	84
F 3L 1011 F	84
F 3L 2011	94
F 3L 514	54
F 3L 712	56
F 3L 812	56
F 3L 812 D	56
F 3L 911	60
F 3L 912	64
F 3L 913	64
F 3L 914	76
F 3M 1011 F	84
F 3M 2011	94
F 4L 1011	86
F 4L 1011 F	86
F 4L 1011 FL	86
F 4L 2011	92
F 4L 712	56
F 4L 812	56
F 4L 812 D	56
F 4L 911	62
F 4L 912	66
F 4L 913	70
F 4L 914	78
F 4M 2011	92
F 4M 716	58
F 5L 413 FR	44
F 5L 413 R	44

 Code 

F 5L 912	66
F 5L 914	80
F 6L 413	44
F 6L 413 F	44
F 6L 413 FR	46
F 6L 413 FW	46
F 6L 413 R	46
F 6L 413 V	46
F 6L 712	56
F 6L 714	56
F 6L 812	56
F 6L 812 D	56
F 6L 911	62
F 6L 912	68
F 6L 913	74
F 6L 914	82
F 6M 716	58
F 8L 413	46
F 8L 413 F	48
F 8L 413 FW	48
F 8L 413 W	48
F 8L 513	54
F 8L 714	56
F 8L 714 A	56
F 8L 914	82

T	
TCD 2011 L04 W	102
TCD 2012 L4 2V	96
TCD 2012 L6 2V	98
TCD 2013 L4 2V	100
TCD 2013 L4 4V	100
TCD 2013 L6 2V	100
TCD 2013 L6 4V	100
TCD 2015 V6	100
TCD 2015 V8	102
TCG 2015 V6	102
TCG 2015 V8	104
TD 2011 L04 I	94
TD 2011 L04 W	102
TD 2011 L4	94

DEUTZ

 Code 

 Code 

 Code 

 Code 

DEUTZ				
F 1L 411 D	1 Zyl.	03-12942-04 0291 0295 ¹⁶ ¹⁸	41-70580-00 0223 0384 95 Ø 1,5 mm	
F 2L 411 D	2 Zyl.	03-12942-04 0291 0295 ¹⁶ ¹⁸	41-70580-00 0223 0384 95 Ø 1,5 mm	2x
F 5L 413 FR	5 Zyl.	03-13037-03 0291 1550 ¹⁶ ¹⁸		
F 5L 413 R	5 Zyl.	03-12917-06 0291 1516 ¹⁶ ¹⁸		
F 6L 413	6 Zyl.	01-12917-39 0291 1525 ¹⁴ ¹⁶ 01-12917-43 0291 1525 ¹³ ¹⁶ 03-12917-06 0291 1516 ¹⁶ ¹⁸		
F 6L 413 F	6 Zyl.	01-12974-14 0292 8811 ¹⁶ ³² 03-12917-07 0291 1536 ¹⁸ ²⁶ 03-13037-03 0291 1550 ¹⁶ ¹⁸ ³²		

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

²³ Ölwanne material Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

71-12942-10 0213 8562		71-24014-10 0213 6122	71-21177-10 0292 9644		81-23114-20 K → 0213 6911 58x75x8 A SL ACM
71-12942-10 0213 8562 2x		71-24014-10 0213 6122 2x	71-21177-10 0292 9644 2x	71-23103-00 0213 9453	81-23114-20 K → 0213 6911 58x75x8 A SL ACM
71-13037-00 0414 7308 5x		71-25556-00 0414 1486 5x	71-23727-50 0418 4903 5x		81-26022-00 K ← 0414 2503 95x130x13 A SL RD FPM 81-26023-00 K → 0242 7225 135x160x16 A SL LD FPM
71-12917-00 0240 2812 5x		71-25556-00 0414 1486 5x	71-20656-30 0336 2170 5x		81-26022-00 K ← 0414 2503 95x130x13 A SL RD FPM 81-26023-00 K → 0242 7225 135x160x16 A SL LD FPM
71-12917-00 ²⁶ 6x		71-25556-00 0414 1486 6x	71-20656-30 0336 2170 6x	71-22083-10 ²⁴ 0240 3119	81-22593-20 K ← 0241 3331 90x110x15 B SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ²⁶ 6x		71-25556-00 0414 1486 6x	71-23727-50 0418 4903 6x	71-22083-10 ²⁴ 0240 3119	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM

²⁴ Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

²⁶ Zylinderkopphaubenmaterial Stahlblech / valve cover material sheet steel / couvre-culasse tôle d'acier / material culata chapa de acero / materiale coperchio valvole in Lamiera d'acciaio / материал кожуха головки блока цилиндров - стальное литье

³² Zylinderkopphaubenmaterial Aluguß / valve cover material cast aluminium / couvre-culasse fonte d'aluminium / material culata aluminio fundido / materiale coperchio valvole in alluminio fuso / материал кожуха головки блока цилиндров - алюминиевое литье





DEUTZ				
F 6L 413 FR	6 Zyl.	03-13037-03 ⑬ ⑮ 0291 1550 		
F 6L 413 FW	6 Zyl.	01-13037-07 ⑬ ⑮ 0292 8818  03-13037-04 ⑫ ⑮ ⑮ 0291 1545 		
F 6L 413 R	6 Zyl.	03-12917-06 ⑮ ⑮ 0291 1516 		
F 6L 413 V	6 Zyl.	01-12917-39 ⑭ ⑮ 0291 1525  01-12917-43 ⑬ ⑮ 0291 1525 03-12917-06 ⑮ ⑮ 0291 1516 		
BF 8L 413 F	8 Zyl.	01-12917-40 ⑭ ⑮ 0291 1539 03-12917-07 ⑮ ⑮ 0291 1536  03-13037-03 ⑮ ⑮ ⑮ 0291 1550 		
F 8L 413	8 Zyl.	01-12917-21 ⑬ ⑭ ⑮ 0291 1526 03-12917-06 ⑮ ⑮ 0291 1516 		

⑭ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

⑮ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑮ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

⑮ Ölwanne material Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

					
71-13037-00 6x 0414 7308 		71-25556-00 6x 0414 1486 	71-23727-50 6x 0418 4903 	71-22083-10 6x 0240 3119  71-22108-10 6x 0213 1576 Kork 	81-26022-00 K ← 0414 2503 95x130x13 A SL RD FPM 81-26023-00 K → 0242 7225 135x160x16 A SL LD FPM
71-13037-00 6x 0414 7308 	70-27506-00 12x 0242 3697	71-25556-00 6x 0414 1486 	71-23727-50 6x 0418 4903 	71-22108-10 6x 0213 1576 Kork 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 6x 0240 2812 		71-25556-00 6x 0414 1486 	71-20656-30 6x 0336 2170 		81-26022-00 K ← 0414 2503 95x130x13 A SL RD FPM 81-26023-00 K → 0242 7225 135x160x16 A SL LD FPM
71-12917-00 6x 0240 2812 		71-25556-00 6x 0414 1486 	71-20656-30 6x 0336 2170 	71-22083-10 ⑮ 0240 3119  71-22108-10 ⑮ 0213 1576 Kork 	81-22593-20 K ← 0241 3331 90x110x15 B SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ⑮ 8x 0240 2812  71-13037-00 ⑮ 8x 0414 7308 		71-25556-00 8x 0414 1486 	71-23727-50 8x 0418 4903 	71-22105-20 8x 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 8x 0240 2812 		71-25556-00 8x 0414 1486 	71-20656-30 8x 0336 2170 	71-22105-20 8x 0213 1577 	81-22593-20 K ← 0241 3331 90x110x15 B SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM

⑮ Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

⑮ Zylinderkopfschalenmaterial Stahlblech / valve cover material sheet steel / couvre-culasse tôle d'acier / material culata chapa de acero / materiale coperchio valvole in lamiera d'acciaio / материал кожуха головки блока цилиндров - стальное литье

⑮ Zylinderkopfschalenmaterial Aluguß / valve cover material cast aluminium / couvre-culasse fonte d'aluminium / material culata aluminio fundido / materiale coperchio valvole in alluminio fuso / материал кожуха головки блока цилиндров - алюминиевое литье




DEUTZ				
F 8L 413 F	8 Zyl.	01-12917-25 ¹⁴ ²⁶ 0291 1537 01-12917-44 ¹³ ¹⁶ ²⁶ 0291 1537 01-13037-17 ¹³ ¹⁶ ³² 0292 8809 +0242 1819 +0242 1820 03-12917-07 ¹⁸ ²⁶ 0291 1536  03-13037-03 ¹⁶ ¹⁸ ³² 0291 1550 		
F 8L 413 FW F 8L 413 W	8 Zyl.	01-13037-08 ¹³ ¹⁶ 0292 8985 03-13037-04 ¹² ¹⁶ ¹⁸ 0291 1545 		
BF 10L 413 F	10 Zyl.	01-12974-15 ¹³ ¹⁴ ¹⁶ 0291 1554 03-12917-07 ¹⁸ ²⁶ 0291 1536  03-13037-03 ¹⁶ ¹⁸ ³² 0291 1550 		
F 10L 413	10 Zyl.	03-12917-06 ¹⁶ ¹⁸ 0291 1516 		
F 10L 413 F	10 Zyl.	01-12974-15 ¹³ ¹⁴ ¹⁶ 0291 1554 01-12974-16 ¹⁴ ²⁶ 03-12917-07 ¹⁸ ²⁶ 0291 1536  03-13037-03 ¹⁶ ¹⁸ ³² 0291 1550 		

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

²⁶ Zylinderkopfhauptmaterial Stahlblech / valve cover material sheet steel / couvre-culasse tôle d'acier / material culata chapa de acero / materiale coperchio valvole in Lamiera d'acciaio / материал кожуха головки блока цилиндров - стальное литье

					
71-12917-00 ²⁶ 8x 0240 2812  71-13037-00 ³² 8x 0414 7308 		71-25556-00 8x 0414 1486 	71-23727-50 8x 0418 4903 	71-22105-20 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 8x 0414 7308 	70-27506-00 16x 0242 3697	71-25556-00 8x 0414 1486 	71-23727-50 8x 0418 4903 	71-22105-20 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ²⁶ 10x 0240 2812  71-13037-00 ³² 10x 0414 7308 		71-25556-00 10x 0414 1486 	71-23727-50 10x 0418 4903 		81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 10x 0240 2812 		71-25556-00 10x 0414 1486 	71-20656-30 10x 0336 2170 		81-22593-20 K ← 0241 3331 90x110x15 B SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ²⁶ 10x 0240 2812  71-13037-00 ³² 10x 0414 7308 		71-25556-00 10x 0414 1486 	71-23727-50 10x 0418 4903 		81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM

³¹ Zylinderkopfhauptmaterial Aluminium / valve cover material aluminium / couvre-culasse aluminium / material culata aluminio / materiale coperchio valvole in alluminio / материал кожуха головки блока цилиндров - алюминий

³² Zylinderkopfhauptmaterial Aluguß / valve cover material cast aluminium / couvre-culasse fonte d'aluminium / material culata aluminio fundido / materiale coperchio valvole in alluminio fuso / материал кожуха головки блока цилиндров - алюминиевое литье



DEUTZ				
F 10L 413 FW	10 Zyl.	01-13037-09 ¹³ ¹⁶ 0292 8986 03-13037-04 ¹² ¹⁶ ¹⁸ 0291 1545 		
BF 12L 413 BF 12L 513 F 12L 513	12 Zyl.	03-13037-03 ¹⁶ ¹⁸ 0291 1550 		
BF 12L 413 F BF 12L 513 F	12 Zyl.	03-12917-07 ¹⁸ ²⁶ 0291 1536  03-13037-03 ¹⁶ ¹⁸ ³² 0291 1550 		
F 12L 413	12 Zyl.	03-12917-06 ¹⁶ ¹⁸ 0291 1516 		
F 12L 413 F	12 Zyl.	01-12917-42 ¹⁴ ²⁶ 0291 1543  03-12917-07 ¹⁸ ²⁶ 0291 1536  03-13037-03 ¹⁶ ¹⁸ ³² 0291 1550 		
F 12L 413 FW	12 Zyl.	01-13037-10 ¹⁶ 0292 8987 03-13037-04 ¹² ¹⁶ ¹⁸ 0291 1545 		

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



					
71-13037-00 0414 7308 10x 	70-27506-00 0242 3697 20x	71-25556-00 0414 1486 10x 	71-23727-50 0418 4903 10x 		81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 0414 7308 12x 		71-25556-00 0414 1486 12x 	71-23727-50 0418 4903 12x 	71-22350-10 0213 1579 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ²⁶ 0240 2812 12x 		71-25556-00 0414 1486 12x 	71-23727-50 0418 4903 12x 	71-22350-10 0213 1579 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 ³² 0414 7308 12x 					
71-12917-00 0240 2812 12x 		71-25556-00 0414 1486 12x 	71-20656-30 0336 2170 12x 	71-22350-10 0213 1579 	81-22593-20 K ← 0241 3331 90x110x15 B SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ²⁶ 0240 2812 12x 		71-25556-00 0414 1486 12x 	71-23727-50 0418 4903 12x 	71-22350-10 0213 1579 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 ³² 0414 7308 12x 					
71-13037-00 0414 7308 12x 	70-27506-00 0242 3697 24x	71-25556-00 0414 1486 12x 	71-23727-50 0418 4903 12x 	71-22350-10 0213 1579 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM

²⁶ Zylinderkopphaubenmaterial Stahlblech / valve cover material sheet steel / couvre-culasse tôle d'acier / material culata chapa de acero / materiale coperchio valvole in Lamiera d'acciaio / материал кожуха головки блока цилиндров - стальное литье

³² Zylinderkopphaubenmaterial Aluguß / valve cover material cast aluminium / couvre-culasse fonte d'aluminium / material culata aluminio fundido / materiale coperchio valvole in alluminio fuso / материал кожуха головки блока цилиндров - алюминиевое литье



DEUTZ				
F 1L 511 D	1 Zyl.	01-25475-03 ¹² ¹³ ¹⁶ 0291 1564 03-25475-02 ¹² ¹⁸ 0291 1563	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm	
F 2L 511 D	2 Zyl.	01-25475-02 ¹² ¹⁶ 03-25475-02 ¹² ¹⁸ 0291 1563	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm	

¹⁶ mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

71-12612-30 0337 1692		71-23988-10 0223 0704	71-16298-30 0337 1689		81-17539-10 K ← 0116 3273 30x42x8 A SL LD ACM
71-12612-30 0337 1692 2x		71-23988-10 0223 0704 2x	71-16298-30 0337 1689 2x		81-17539-10 K ← 0116 3273 30x42x8 A SL LD ACM

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



DEUTZ				
BF 8L 513 LC BF 8L 513-225 BF 8L 513-243	8 Zyl.	03-13037-03 ⑩ ⑮ 0291 1550 		
BF 8L 513	8 Zyl.	01-12917-40 ⑭ 0291 1539 03-12917-07 ⑮ ⑳ 0291 1536  03-13037-03 ⑩ ⑮ 0291 1550 		
F 8L 513	8 Zyl.	01-13037-17 ⑬ ⑮ ㉓ 0292 8809 +0242 1819 +0242 1820 03-13037-03 ⑩ ⑮ 0291 1550 		
F 10L 513	10 Zyl.	01-13037-02 ⑬ ⑮ 0292 8813 +0242 1819 +0242 1820 03-12917-07 ⑮ 0291 1536  03-13037-03 ⑩ ⑮ 0291 1550 		
F 2L 514	2 Zyl.	03-12065-05 ⑩ ⑮ 0330 5749 		
F 3L 514	3 Zyl.	03-12065-05 ⑩ ⑮ 0330 5749 		
F 1L 712 F 1L 812	1 Zyl.	03-12612-04 ⑩ ⑮ 0291 0165 		

⑦ Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / junta para múltiple de admisión/de escape / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена

⑭ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

⑮ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

					
71-13037-00 0414 7308 	8x	71-25556-00 0414 1486 	71-23727-50 0418 4903 	71-22105-20 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12917-00 ⑳ 0240 2812 	8x	71-25556-00 0414 1486 	71-23727-50 0418 4903 	71-22105-20 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 0414 7308 	8x				
71-13037-00 0414 7308 	8x	71-25556-00 0414 1486 	71-23727-50 0418 4903 	71-22105-20 0213 1577 	81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-13037-00 ⑳ 0414 7308 	8x				
71-13037-00 0414 7308 	10x	71-25556-00 0414 1486 	71-23727-50 0418 4903 		81-25986-20 K ← 0242 1819 100x120x15 A SL RD FPM 81-23301-40 K → 0241 3332 105x130x15 AB SL LD FPM
71-12065-10 0241 2311 	2x		71-09761-30 ⑦ 0292 9305 	4x 71-15148-00 0336 7527 	
71-12065-10 0241 2311 	3x		71-09761-30 ⑦ 0292 9305 	6x 71-15490-00 0336 7578 	
71-12612-30 0337 1692 		71-23988-10 0223 0704 	71-16298-30 0337 1689 		81-17085-00 K → ← 2x 0116 3205 60x80x10 A SL NBR

⑮ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

㉓ Zylinderkopfhautenmaterial Stahlblech / valve cover material sheet steel / couvre-culasse tôle d'acier / material culata chapa de acero / materiale coperchio valvole in Lamiera d'acciaio / материал кожуха головки блока цилиндров - стальное литье

㉔ Zylinderkopfhautenmaterial Aluguß / valve cover material cast aluminium / couvre-culasse fonte d'aluminium / material culata aluminio fundido / materiale coperchio valvole in alluminio fuso / материал кожуха головки блока цилиндров - алюминиевое литье



DEUTZ				
F 2L 712 F 2L 812	2 Zyl.	03-12612-04 ⑩ ⑪ 0291 0165 		
F 3L 712 F 3L 812 F 3L 812 D	3 Zyl.	03-12612-04 ⑩ ⑪ 0291 0165 		
F 4L 712 F 4L 812 F 4L 812 D	4 Zyl.	03-12612-04 ⑩ ⑪ 0291 0165 		
F 6L 712 F 6L 812 F 6L 812 D	6 Zyl.	03-12612-04 ⑩ ⑪ 0291 0165 		
F 6L 714	6 Zyl.	03-12065-06 ⑩ ⑪ 0291 1586 		
F 8L 714 F 8L 714 A	8 Zyl.	03-12065-06 ⑩ ⑪ 0291 1586 		
F 10L 714	10 Zyl.	03-12065-06 ⑩ ⑪ 0291 1586 		
F 12L 714	12 Zyl.	03-12065-06 ⑩ ⑪ 0291 1586 		

⑦ Dichtung Ansaug-/Abgaskrümmer / intake/exhaust manifold gasket / joint collecteur d'admission/d'échappement / junta para múltiple de admisión/de escape / guarnizione collettore di aspirazione/di scarico / прокладка всасывающего/выпускного колена

⑩ mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑪ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

					
71-12612-30 2x 0337 1692 		71-23988-10 2x 0223 0704 	71-16298-30 2x 0337 1689 		81-17085-00 K → ← 2x 0116 3205 60x80x10 A SL NBR
71-12612-30 3x 0337 1692 		71-23988-10 3x 0223 0704 	71-16298-30 3x 0337 1689 	71-19562-00 ②③ 0336 2573 	81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12612-30 4x 0337 1692 		71-23988-10 4x 0223 0704 	71-16298-30 4x 0337 1689 	71-19571-10 ②④ 0213 6719 	81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12612-30 6x 0337 1692 		71-23988-10 6x 0223 0704 	71-16298-30 6x 0337 1689 	71-19572-10 ②④ 0213 6720 	81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12065-10 6x 0241 2311 		71-09761-30 ⑦ 12x 0292 9305 		71-15960-10 ⑦ 12x 0336 9074 	81-21395-10 K → 0116 0383 150x172x18,3 A LD MVQ
71-12065-10 8x 0241 2311 		71-09761-30 ⑦ 16x 0292 9305 		71-11967-10 ⑦ 16x 0336 9032 	81-21395-10 K → 0116 0383 150x172x18,3 A LD MVQ
71-12065-10 10x 0241 2311 		71-09761-30 ⑦ 20x 0292 9305 			81-21395-10 K → 0116 0383 150x172x18,3 A LD MVQ
71-12065-10 12x 0241 2311 		71-09761-30 ⑦ 24x 0292 9305 			

②③ Ölwanne material Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

②④ Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
F 4M 716	4 Zyl.	03-23555-02 ¹⁶ ¹⁸ 0291 0179 🛠️ 4982369→	61-23550-00 4x 0337 3421 157,3 Ø 1 mm 	
			61-23555-00 4x 0215 8472 157,3 Ø 1,5 mm 	
BF 6M 716	6 Zyl.		61-23550-00 6x 0337 3421 157,3 Ø 1 mm 	
			61-23555-00 6x 0215 8472 157,3 Ø 1,5 mm 	
F 6M 716	6 Zyl.		61-23550-00 6x 0337 3421 157,3 Ø 1 mm 	
BF 8M 716	12 Zyl.	03-23555-02 ¹⁶ ¹⁸ 0291 0179 🛠️ 5074920→	61-23550-00 12x 0337 3421 157,3 Ø 1 mm 	
			61-23555-00 12x 0215 8472 157,3 Ø 1,5 mm 	

¹⁶ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

71-21556-10 4x 0347 0138 					
71-21556-10 6x 0347 0138 					
71-21556-10 6x 0347 0138 					
71-21556-10 12x 0347 0138 					

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

DEUTZ				
F 12M 716	12 Zyl.	03-23555-02 ¹⁶ ¹⁸ 0291 0179 4982673→	61-23550-00 12x 0337 3421 157,3 Ø 1 mm 	
			61-23555-00 12x 0215 8472 157,3 Ø 1,5 mm 	
BA 6M 816	6 Zyl.	03-25755-02 ¹⁶ ¹⁸ 0291 1558	61-25755-10 6x 0405 0720 165 Ø 1,5 mm 	
BA 8M 816	8 Zyl.	03-25755-02 ¹⁶ ¹⁸ 0291 1558	61-25755-10 8x 0405 0720 165 Ø 1,5 mm 	
BA 16M 816	16 Zyl.	03-25755-02 ¹⁶ ¹⁸ 0291 1558	61-25755-10 16x 0405 0720 165 Ø 1,5 mm 	
F 3L 911	3 Zyl.	01-12612-51 ¹³ ¹⁶ 0292 8973 01-12612-55 ¹⁴ ¹⁶ 0291 0182 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 3x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 3x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 3x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 3x 0415 7467 102,6 Ø 1,45 mm 61-25475-70 3x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 3x 0415 7470 102,6 Ø 1,6 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала
¹⁶ mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

71-21556-10 12x 0347 0138 				71-22329-10 0337 4670 	
71-25287-10 6x 0215 9580 		71-24207-10 6x 0215 6432 			
71-25287-10 8x 0215 9580 		71-24207-10 8x 0215 6432 			
71-25287-10 16x 0215 9580 		71-24207-10 16x 0215 6432 			
71-12612-30 3x 0337 1692 		71-23988-10 3x 0223 0704 	71-16298-30 3x 0337 1689 	71-19562-00 0336 2573 	81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM 4733555→ 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K 0415 0392 115x140x13,5 A SL LD ACM FPM 4724920→

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



14 ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

16 mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

18 für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

¬ 62

24 Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

¬ 63

DEUTZ				
F 2L 912	2 Zyl.	01-12612-45 ¹³ ¹⁶ 0291 0198 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 2x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 2x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 2x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 2x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 2x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 2x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 2x 0415 7470 102,6 Ø 1,6 mm 	
F 3L 912 F 3L 913	3 Zyl.	01-12612-51 ¹³ ¹⁶ 0292 8973 01-12612-55 ¹⁴ ¹⁶ 0291 0182 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 3x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 3x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 3x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 3x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 3x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 3x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 3x 0415 7470 102,6 Ø 1,6 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала
¹⁶ mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

71-12612-30 2x 0337 1692 		71-23988-10 2x 0223 0704 	71-16298-30 2x 0337 1689 		81-17085-00 K → ← 2x 0116 3205 60x80x10 A SL NBR
71-12612-30 3x 0337 1692 		71-23988-10 3x 0223 0704 	71-16298-30 3x 0337 1689 	71-19562-00 0336 2573 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 4733555→ 81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM 4733555→ 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K 0415 0392 115x140x13,5 A SL LD ACM FPM 4724920→ 81-21527-30 K 0423 2266 65x85x10,5 A FIL RD ACM FPM 4724920→

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



DEUTZ				
F 4L 912	4 Zyl.	01-12612-49 ¹⁴ ¹⁶ 0292 8974 01-12612-52 ¹³ ¹⁶ 0292 8974 01-42840-01 ¹⁴ 03-12612-05 ¹⁶ ¹⁸ 0293 1476	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm	
F 5L 912	5 Zyl.	01-12612-46 ¹³ ¹⁶ 0291 0228 03-12612-05 ¹⁶ ¹⁸ 0293 1476	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

71-12612-30 0337 1692		71-23988-10 0223 0704	71-16298-30 0337 1689	71-19571-10 ²⁴ 0213 6719 71-20566-00 ²³ 0336 2574	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 4739685→ 81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM 4739685→ 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K 0415 0392 115x140x13,5 A SL LD ACM FPM 4689186→ 81-21527-30 K 0423 2266 65x85x10,5 A FIL RD ACM FPM 4689186→
71-12612-30 0337 1692		71-23988-10 0223 0704	71-16298-30 0337 1689	71-23849-00 0224 0933	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM

²³ Ölwannenmaterial Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

²⁴ Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
BF 6L 912	6 Zyl.	01-12612-58 ¹⁴ ¹⁶ 0291 0256  03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm 	
F 6L 912	6 Zyl.	01-12612-48 ¹⁴ ¹⁶ 0291 0184  01-12612-53 ¹³ ¹⁶ 0292 8976 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

					
71-12612-30 0337 1692 		71-23988-10 0223 0704 	71-16298-30 0337 1689 	71-19572-10 ²⁴ 0213 6720  71-20940-00 ²³ 0336 2581 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12612-30 0337 1692 		71-23988-10 0223 0704 	71-16298-30 0337 1689 	71-19572-10 ²⁴ 0213 6720  71-20940-00 ²³ 0336 2581 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM  4746213→ 81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM  4746213→ 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K 0415 0392 115x140x13,5 A SL LD ACM FPM  4748183→ 81-21527-30 K 0423 2266 65x85x10,5 A FIL RD ACM FPM  4748183→

²³ Ölwannenmaterial Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

²⁴ Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
BF 4L 913 BF 4L 913 T	4 Zyl.	03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm 	
F 4L 913	4 Zyl.	01-12612-28 ¹⁴ ¹⁶ 0291 1535  01-12612-54 ¹³ ¹⁶ 0291 1535 +0415 7236 +0423 0392 +0336 2574 +0415 2348 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 0415 7654 102,6 Ø 1,1 mm 61-25475-30 0415 7468 102,6 Ø 1,5 mm 61-25475-40 0415 7656 102,6 Ø 1,2 mm 61-25475-50 0415 7467 102,6 Ø 1,45 mm 61-25475-60 0415 7658 102,6 Ø 1,3 mm 61-25475-70 0415 7466 102,6 Ø 1,4 mm 61-25475-90 0415 7470 102,6 Ø 1,6 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

							
71-12612-30 0337 1692 	4x	71-23988-10 0223 0704 	4x	71-16298-30 0337 1689 	4x	71-19571-10 ②④ 0213 6719  71-20566-00 ②③ 0336 2574 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12612-30 0337 1692 	4x	71-23988-10 0223 0704 	4x	71-16298-30 0337 1689 	4x	71-19571-10 ②④ 0213 6719  71-20566-00 ②③ 0336 2574 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM

²³ Ölwannenmaterial Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

²⁴ Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
BF 6L 913 BF 6L 913 C	6 Zyl.	01-12612-50 ¹⁴ ¹⁶ 0291 0279  01-12612-56 ¹³ ¹⁶ 0292 9333 03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 6x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 6x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 6x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 6x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 6x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 6x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 6x 0415 7470 102,6 Ø 1,6 mm 	
		01-12612-47 ¹³ ¹⁶ 0291 0278 01-12612-50 ¹⁴ ¹⁶ 0291 0279  01-12612-56 ¹³ ¹⁶ 0292 9333 01-12612-57 ¹⁴ ¹⁶ 0291 0278  03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 6x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 6x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 6x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 6x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 6x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 6x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 6x 0415 7470 102,6 Ø 1,6 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров

					
71-12612-30 6x 0337 1692 		71-23988-10 6x 0223 0704 	71-16298-30 6x 0337 1689 	71-19572-10 ²⁴ 0213 6720  71-20940-00 ²³ 0336 2581 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12612-30 6x 0337 1692 		71-23988-10 6x 0223 0704 	71-16298-30 6x 0337 1689 	71-19572-10 ²⁴ 0213 6720  71-20940-00 ²³ 0336 2581 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM

²³ Ölwannenmaterial Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

²⁴ Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
F 6L 913	6 Zyl.	01-12612-47 ¹³ ¹⁶ 0291 0278 01-12612-57 ¹⁴ ¹⁶ 0291 0278  03-12612-05 ¹⁶ ¹⁸ 0293 1476 	61-25475-20 6x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 6x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 6x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 6x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 6x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 6x 0415 7466 102,6 Ø 1,4 mm 61-25475-90 6x 0415 7470 102,6 Ø 1,6 mm 	
BF 3L 914 [NEW]	3 Zyl.	01-40542-01 ¹³ 0293 7523  03-40542-01 ¹⁸ 0293 7521 	61-38260-00 3x 0415 8321 3 mm 61-38260-10 3x 0415 8323 3,1 mm 61-38260-20 3x 0415 8325 3,2 mm 61-38260-30 3x 0415 8327 3,3 mm 	

¹⁴ ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / sin retén cigüeñal / senza paraolio albergo motore / без уплотнительного кольца коленчатого вала

¹⁶ mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



					
71-12612-30 6x 0337 1692 		71-23988-10 6x 0223 0704 	71-16298-30 6x 0337 1689 	71-19572-10 ²⁴ 0213 6720  71-20940-00 ²³ 0336 2581 	81-21527-20 K ← 0415 0782 65x85x13 B SL RD FPM 81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-20 K → 0415 0783 115x140x16 B SL LD FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-40542-00 3x 0423 8230 	70-27408-00 6x 0415 3728	71-23988-10 3x 0223 0704 	71-40143-00 3x 0423 3529 	71-19562-00 3x 0336 2573 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM

²³ Ölwannenmaterial Stahlguß / oil pan material cast steel / carter d'huile fonte / material cárter acero fundido / materiale coppa olio in acciaio fuso / материал масляного картера - стальное литье

²⁴ Ölwannenmaterial Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / material cárter chapa de acero / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь



DEUTZ				
D 914 L3 F 3L 914 [NEW]	3 Zyl.	01-40542-01 ⁽¹³⁾ 0293 7523 	61-25475-20 3x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 3x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 3x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 3x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 3x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 3x 0415 7466 102,6 Ø 1,4 mm 	
		03-40542-01 ⁽¹⁸⁾ 0293 7521 		
BF 4L 914 [NEW]	4 Zyl.	01-40542-02 ⁽¹³⁾ 0293 7524 	61-38260-00 4x 0415 8321 3 mm 61-38260-10 4x 0415 8323 3,1 mm 61-38260-20 4x 0415 8325 3,2 mm 61-38260-30 4x 0415 8327 3,3 mm 	
		03-40542-01 ⁽¹⁸⁾ 0293 7521 		

⁽¹⁸⁾ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



					
71-40542-00 3x 0423 8230 	70-27408-00 6x 0415 3728	71-23988-10 3x 0223 0704 	71-40143-00 3x 0423 3529 	71-19562-00 3x 0336 2573 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-40542-00 4x 0423 8230 		71-23988-10 4x 0223 0704 	71-40143-00 4x 0423 3529 	71-19571-10 4x 0213 6719  71-20566-00 0336 2574 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM



DEUTZ				
D 914 L4	4 Zyl.	01-40542-02 ¹³ 0293 7524  03-40542-01 ¹⁸ 0293 7521 	61-25475-20 4x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 4x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 4x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 4x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 4x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 4x 0415 7466 102,6 Ø 1,4 mm 	
F 4L 914	4 Zyl.	01-40542-02 ¹³ 0293 7524  03-40542-01 ¹⁸ 0293 7521 	61-25475-20 4x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 4x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 4x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 4x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 4x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 4x 0415 7466 102,6 Ø 1,4 mm 	

¹⁸ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



					
71-40542-00 4x 0423 8230 		71-23988-10 4x 0223 0704 	71-40143-00 4x 0423 3529 	71-19571-10 0213 6719  71-20566-00 0336 2574 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-40542-00 4x 0423 8230 		71-23988-10 4x 0223 0704 	71-40143-00 4x 0423 3529 	71-19571-10 0213 6719 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM




DEUTZ				
D 914 L5 F 5L 914 [NEW]	5 Zyl.	03-40542-01 ⑱ 0293 7521 	61-25475-20 5x 0415 7654 102,6 Ø 1,1 mm	
			61-25475-30 5x 0415 7468 102,6 Ø 1,5 mm	
			61-25475-40 5x 0415 7656 102,6 Ø 1,2 mm	
			61-25475-50 5x 0415 7467 102,6 Ø 1,45 mm	
BF 6L 914 BF 6L 914 C [NEW]	6 Zyl.	01-40542-05 ⑬ 0293 7526  03-40542-01 ⑱ 0293 7521 	61-38260-00 6x 0415 8321 3 mm	
			61-38260-10 6x 0415 8323 3,1 mm	
			61-38260-20 6x 0415 8325 3,2 mm	
			61-38260-30 6x 0415 8327 3,3 mm	

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



					
71-40542-00 5x 0423 8230 	70-27408-00 10x 0415 3728	71-23988-10 5x 0223 0704 	71-40143-00 5x 0423 3529 	71-23849-00 5x 0224 0933 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-40542-00 6x 0423 8230 		71-23988-10 6x 0223 0704 	71-40143-00 6x 0423 3529 	71-19572-10 6x 0213 6720  71-20940-00 X 0336 2581 	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM




DEUTZ				
D 914 L6	6 Zyl.	01-40542-04 ⑬ 0293 7715 03-40542-01 ⑱ 0293 7521	61-25475-20 6x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 6x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 6x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 6x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 6x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 6x 0415 7466 102,6 Ø 1,4 mm	
F 6L 914	6 Zyl.	01-40542-04 ⑬ 0293 7715 03-40542-01 ⑱ 0293 7521	61-25475-20 6x 0415 7654 102,6 Ø 1,1 mm 61-25475-30 6x 0415 7468 102,6 Ø 1,5 mm 61-25475-40 6x 0415 7656 102,6 Ø 1,2 mm 61-25475-50 6x 0415 7467 102,6 Ø 1,45 mm 61-25475-60 6x 0415 7658 102,6 Ø 1,3 mm 61-25475-70 6x 0415 7466 102,6 Ø 1,4 mm	
F 8L 914	8 Zyl.	03-12917-08 ⑰ ⑱ 0291 1514		

⑱ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

71-40542-00 6x 0423 8230	70-27408-00 12x 0415 3728	71-23988-10 6x 0223 0704	71-40143-00 6x 0423 3529	71-19572-10 6x 0213 6720 71-20940-00 0336 2581	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-40542-00 6x 0423 8230		71-23988-10 6x 0223 0704	71-40143-00 6x 0423 3529	71-20940-00 0336 2581	81-21527-30 K ← 0423 2266 65x85x10,5 A FIL RD ACM FPM 81-20481-30 K → 0415 0392 115x140x13,5 A SL LD ACM FPM
71-12917-00 8x 0240 2812		71-25556-00 8x 0414 1486	71-20656-30 8x 0336 2170	71-11967-10 0336 9032	81-21395-10 K → 0116 0383 150x172x18,3 A LD MVQ

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



DEUTZ 				
F 2L 1011	2 Zyl.	02-34845-01 ⑫ 0292 8843  08-29023-01 ⑬ 0292 8729	61-34860-00 0417 6117 92,5 Ø 1,55 mm 1  61-34860-10 0417 6118 92,5 Ø 1,6 mm 2  61-34860-20 0417 6119 92,5 Ø 1,7 mm 3  	
F 2L 1011 F	2 Zyl.	02-31158-01 ⑫ 0292 9852  08-31414-01 ⑬ 0292 9856 +0100 8383	61-29450-30 0417 8861 92,5 Ø 1,5/1,55 mm 1  61-29450-40 0417 8862 92,5 Ø 1,6 mm 2  61-29450-50 0417 8863 92,5 Ø 1,7 mm 3  	14-32252-01 0427 0815 (6X) 
F 3L 1011	3 Zyl.	02-34850-01 ⑫ 0292 8844  08-29023-01 ⑬ 0292 8729	61-29180-00 0417 6489 92,5 Ø 1,55 mm 1  61-29180-10 0417 6490 92,5 Ø 1,6 mm 2  61-29180-20 0417 6491 92,5 Ø 1,7 mm 3  	
F 3L 1011 F F 3M 1011 F	3 Zyl.	01-31157-01 ⑫ ⑬ 0292 9853 +0292 9856 +0100 8383  02-31157-01 ⑫ 0292 9853  08-31414-01 ⑬ 0292 9856 +0100 8383	61-31560-00 0417 8854 92,5 Ø 1,55 mm 1  61-31560-10 0417 8855 92,5 Ø 1,6 mm 2  61-31560-20 0417 8856 92,5 Ø 1,7 mm 3  	14-32252-02 0427 0815 (8X) 

⑫



⑬




L



R



					
71-34845-00 0417 3857 	12-27408-06 0415 3728 (4x) 70-27408-00 0415 3728 4x	71-28323-00 2x 0410 2120 	71-28380-10 2x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-31158-00 0417 9845 	12-27408-06 0415 3728 (4x) 70-27408-00 0415 3728 4x	71-28323-00 2x 0410 2120 	71-28380-10 2x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-34850-00 0417 3858 	12-27408-03 0415 3728 (6x) 70-27408-00 0415 3728 6x	71-28323-00 3x 0410 2120 	71-28380-10 3x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM
71-31157-00 0417 9846 	12-27408-03 0415 3728 (6x) 70-27408-00 0415 3728 6x	71-28323-00 3x 0410 2120 	71-28380-10 3x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM


←



→



K



N



(A)



DEUTZ				
BF 4L 1011	4 Zyl.	02-34855-02 ¹² 0292 8879  08-29023-01 ¹³ 0292 8729	61-34870-00 0417 6101 92,5 Ø 1,48 mm 1  0417 6102 92,5 Ø 1,55 mm 2  0417 6103 92,5 Ø 1,6 mm 3  	
BF 4L 1011 F BF 4L 1011 FT BF 4M 1011 F	4 Zyl.	02-31156-02 ¹² 0292 9855  08-31414-01 ¹³ 0292 9856 +0100 8383	61-29455-30 0417 8867 92,5 Ø 1,5/1,55 mm 1  61-29455-40 0417 8868 92,5 Ø 1,6 mm 2  61-29455-50 0417 8869 92,5 Ø 1,7 mm 3  	14-32252-03 0427 0815 (10X) 
F 4L 1011	4 Zyl.	02-34855-01 ¹² 0292 8845  08-29023-01 ¹³ 0292 8729	61-34865-00 0417 6120 92,5 Ø 1,55 mm 1  61-34865-10 0417 6121 92,5 Ø 1,6 mm 2  61-34865-20 0417 6122 92,5 Ø 1,7 mm 3  	
F 4L 1011 F F 4L 1011 FL	4 Zyl.	02-31156-01 ¹² 0292 9854  08-31414-01 ¹³ 0292 9856 +0100 8383	61-29455-30 0417 8867 92,5 Ø 1,5/1,55 mm 1  61-29455-40 0417 8868 92,5 Ø 1,6 mm 2  61-29455-50 0417 8869 92,5 Ø 1,7 mm 3  	14-32252-03 0427 0815 (10X) 

¹²



¹³



L



R



					
71-34855-00 0417 3859 	70-27408-00 8x 0415 3728	71-28323-00 4x 0410 2120 	71-28380-10 4x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM
71-31156-00 0410 2939 	70-27408-00 8x 0415 3728	71-28323-00 4x 0410 2120 	71-28380-10 4x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-34855-00 0417 3859 	70-27408-00 8x 0415 3728	71-28323-00 4x 0410 2120 	71-28380-10 4x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM
71-31156-00 0410 2939 	70-27408-00 8x 0415 3728	71-28323-00 4x 0410 2120 	71-28380-10 4x 0417 3862 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM


←



→



K




N



(A)



DEUTZ 				
BF 4M 1012 BF 4M 1012 C BF 4M 1012 E BF 4M 1012 EC		4 Zyl.	01-35969-01 13 0293 1276  61-35865-00 0420 9891 95 Ø 1,5 mm 1  61-35865-10 0420 9892 95 Ø 1,6 mm 2  61-35865-20 0420 9893 95 Ø 1,7 mm 3  	
BF 6M 1012 BF 6M 1012 C BF 6M 1012 E BF 6M 1012 EC		6 Zyl.	01-29317-01 13 0293 1277  61-35870-00 0420 9895 95 Ø 1,5 mm 1  61-35870-10 0420 9896 95 Ø 1,6 mm 2  61-35870-20 0420 9897 95 Ø 1,7 mm 3  	
BF 4M 1013 BF 4M 1013 C BF 4M 1013 E BF 4M 1013 EC		4 Zyl.	01-36624-01 13 0293 1736   61-35875-00 0420 1562 119 Ø 1,5 mm 1  61-35875-10 0420 1563 119 Ø 1,6 mm 2  61-35875-20 0420 1564 119 Ø 1,7 mm 3  	
BF 6M 1013 BF 6M 1013 C BF 6M 1013 CP BF 6M 1013 E BF 6M 1013 ECP BF 6M 1013 EC		6 Zyl.	01-36624-02 13 0293 1737   61-35880-00 0420 1559 119 Ø 1,5 mm 1  61-35880-10 0420 1560 119 Ø 1,6 mm 2  61-35880-20 0420 1561 119 Ø 1,7 mm 3  	

12



13



L



R



					
71-34871-00 0428 3391 Stahl  71-35969-00 0419 8796 		71-29078-00 4x 0419 8387 	71-28747-10 4x 0428 3299 	10-35979-01 0420 4452 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-00 K → 120x140x13 AB SL LD FPM 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-29317-00 0419 8969  71-34869-00 0428 3392 Stahl 		71-29078-00 6x 0419 8387 	71-28747-10 6x 0428 3299 	10-35979-02 0420 4453 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-00 K → 120x140x13 AB SL LD FPM 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-36002-00 0420 5895  71-38488-00 0428 4583 Metall 		71-35044-00 2x 0420 0095 	71-28747-10 4x 0428 3299 	10-35976-01 0420 4458 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM
71-29287-00 0420 5894  71-37036-00 0428 4008 Metall 		71-35044-00 3x 0420 0095 	71-28747-10 6x 0428 3299 	10-35979-02 0420 4453 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM

←



→



K



N



(A)





DEUTZ				
BF 6M 1015 BF 6M 1015 C	6 Zyl.	01-33358-01 ¹² ¹³ 	61-36485-00 6x 0426 4004 146 Ø 1,4 mm 1	
BF 6M 1015 CP	6 Zyl.	01-33358-01 ¹² ¹³ 	61-36485-00 6x 0426 4004 146 Ø 1,4 mm 1	
BF 8M 1015 BF 8M 1015 C BF 8M 1015 CP	8 Zyl.	01-33358-02 ¹² ¹³ 0293 1479 	61-36485-00 8x 0426 4004 146 Ø 1,4 mm 1	


0 oben / top / haut / arriba / superiore / сверху




71-29380-00 0 6x 0422 4081 		71-36738-00 6x 0422 0148 	71-36756-00 6x 0422 3020 	71-36627-00 6x 0426 3576 	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM
71-29380-00 0 6x 0422 4081 		71-36738-00 6x 0422 0148 	71-36756-00 6x 0422 3020 	71-36627-00 6x 0426 3576 	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM
71-29380-00 0 8x 0422 4081 		71-36738-00 8x 0422 0148 	71-36756-00 8x 0422 3020 	71-36947-00 8x 0426 3578 	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM

U unten / bottom / bas / debajo / inferiore / снизу

DEUTZ				
BF 3L 2011 BF 3M 2011		3 Zyl.		
		01-33592-01 ⁽¹²⁾ ⁽¹³⁾ 0293 1434  02-33592-01 ⁽¹²⁾ 0293 1743 	61-37500-00 0428 0812 1,6 mm 1  1 → 01/04 61-37500-10 0428 0813 1,65 mm 2  1 → 01/04 61-37500-20 0428 0814 1,7 mm 3  1 → 01/04  61-37520-00 0428 6584 95 Ø 1,48 mm MLS 1 02/04 → 61-37520-10 0428 6585 95 Ø 1,55 mm MLS 1 02/04 → 61-37520-20 0428 6586 95 Ø 1,6 mm MLS 1 02/04 → 	14-32252-02 0427 0815 (8X) 
BF 4L 2011 BF 4M 2011 F 4L 2011 F 4M 2011		4 Zyl.		
		01-31579-01 ⁽¹²⁾ ⁽¹³⁾ 0293 1435  02-31579-01 ⁽¹²⁾ 0293 1741 	61-37505-00 0428 0816 1,6 mm 1  0428 0817 1,65 mm 2  0428 0818 1,7 mm 3   61-37525-00 0428 7425 97 Ø 1,51 mm 1  MLS 61-37525-20 0428 7427 97 Ø 1,56 mm 2  MLS 61-37525-30 0430 0153 97 Ø 1,61 mm 3  MLS 	14-32252-03 0427 0815 (10X) 



					
71-31157-00 0417 9846 	12-27408-03 0415 3728 (6x) 6x 70-27408-00 0415 3728	71-28323-00 0410 2120 	3x 71-28380-10 0417 3862 	3x 70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-31156-00 0410 2939 	12-27408-01 0415 3728 (8x) 8x 70-27408-00 0415 3728	71-28323-00 0410 2120 	4x 71-28380-10 0417 3862 	4x 70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
← 	→ 	K 	N 	(A) 	

DEUTZ 				
F 2L 2011 F 2M 2011	2 Zyl.	01-31158-01 ⑫ ⑬ 0293 1433  02-31158-02 ⑫ 0293 1742 	61-37495-00 0428 0808 1,6 mm 1  61-37495-10 0428 0809 1,65 mm 2  61-37495-20 0428 0810 1,7 mm 3  	14-32252-01 0427 0815 (6X) 
F 3L 2011 F 3M 2011	3 Zyl.	01-33592-01 ⑫ ⑬ 0293 1434  02-33592-01 ⑫ 0293 1743 	61-37500-00 0428 0812 1,6 mm 1  61-37500-10 0428 0813 1,65 mm 2  61-37500-20 0428 0814 1,7 mm 3  	14-32252-02 0427 0815 (8X) 
TD 2011 L4 TD 2011 L04 I [NEW]	4 Zyl.	01-31579-03 ⑫ ⑬ 0293 7594   02-31579-01 ⑫ 0293 1741 	61-38175-00 0410 2011 1,47 mm 1  MLS 61-38175-10 0410 2012 1,57 mm 2  MLS 61-38175-20 0410 2013 1,67 mm 3  MLS 	14-32252-03 0427 0815 (10X) 
BF 4M 2012 BF 4M 2012 C BF 4M 2012 C*	4 Zyl.	01-29061-01 ⑫ ⑬ 0293 1738  	61-37515-00 0428 9408 102 Ø 1,2 mm 1  MLS 61-37515-10 0428 9407 102 Ø 1,3 mm 2  MLS 61-37515-20 0428 9406 102 Ø 1,4 mm 3  MLS 	

⑫



⑬




L



R



					
71-31158-00 0417 9845 	12-27408-06 0415 3728 (4x) 70-27408-00 0415 3728 4x	71-28323-00 0410 2120 2x 	71-28380-10 0417 3862 2x 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-31157-00 0417 9846 	12-27408-03 0415 3728 (6x) 70-27408-00 0415 3728 6x	71-28323-00 0410 2120 3x 	71-28380-10 0417 3862 3x 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-31156-00 0410 2939 	12-27408-01 0415 3728 (8x) 70-27408-00 0415 3728 8x	71-28323-00 0410 2120 4x 	71-28380-10 0417 3862 4x 	70-31414-10 	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-35969-00 0419 8796 1 → 09/03 	12-27408-01 0415 3728 (8x) 70-27408-00 0415 3728 8x	71-34884-00 0428 3576 4x 		10-35979-01 0420 4452 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-34871-00 0428 3391 Stahl 1 10/03 → 					


←



→



K



N



(A)



DEUTZ

DEUTZ				
BF 6M 2012 C BF 6M 2012 C*		6 Zyl.		
		01-29061-02 ⑫ ⑬ 0293 1739 	61-37690-30 0428 9405 99 Ø 1,26 mm MLS 1 61-37690-40 0428 9404 99 Ø 1,36 mm MLS 2 61-37690-50 99 Ø 1,46 mm MLS 3 61-37990-00 0428 9411 102 Ø 1,2 mm MLS 1 61-37990-10 0428 9410 102 Ø 1,34 mm MLS 2 61-37990-20 0428 9409 102 Ø 1,4 mm MLS 3 	
TCD 2012 L4 2V		4 Zyl.		
		01-29061-04 ⑫ ⑬ 0293 1762 	61-37515-00 0428 9408 102 Ø 1,2 mm MLS 1 61-37515-10 0428 9407 102 Ø 1,3 mm MLS 2 61-37515-20 0428 9406 102 Ø 1,4 mm MLS 3 	

⑫



⑬



L



R



71-29317-00 0419 8969 71-34869-00 0428 3392 Stahl 	12-27408-02 70-27408-00 0415 3728 12x	71-34884-00 0428 3576 6x 	71-28747-10 0428 3299 6x 	10-35979-02 0420 4453 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-38977-00 0429 1419 	12-27408-01 0415 3728 (8x) 70-27408-00 0415 3728 8x	71-34884-00 0428 3576 4x 	71-38922-00 0429 2820 4x 	10-35979-01 0420 4452 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM

←



→



K



N



(A)



DEUTZ				
TCD 2012 L6 2V	6 Zyl.	01-29061-03 ⁽¹²⁾ ⁽¹³⁾ 0293 1662 	61-37690-30 0428 9405 99 Ø 1,26 mm 1  MLS 61-37690-40 0428 9404 99 Ø 1,36 mm 2  MLS 61-37690-50 99 Ø 1,46 mm 3  MLS  61-37990-00 0428 9411 102 Ø 1,2 mm 1  MLS 61-37990-10 0428 9410 102 Ø 1,34 mm 2  MLS 61-37990-20 0428 9409 102 Ø 1,4 mm 3  MLS 	
BF 4M 2013 BF 4M 2013 C	4 Zyl.	01-33352-01 ⁽¹²⁾ ⁽¹³⁾ 0293 7583 	61-37510-00 0425 9841 1,1 mm 1  61-37510-10 0425 9842 1,2 mm 2  61-37510-20 0425 9843 1,3 mm 3  	
BF 6M 2013 BF 6M 2013 C	6 Zyl.	01-33083-01 ⁽¹²⁾ ⁽¹³⁾ 0293 1312 	61-37530-00 0428 5624 99 Ø 1,16 mm 1  MLS 61-37530-10 0428 5625 99 Ø 1,26 mm 2  MLS 61-37530-20 0428 5626 99 Ø 1,36 mm 3  MLS 	

⁽¹²⁾



⁽¹³⁾





L



R



					
71-38982-00 0429 1418 	12-27408-02 70-27408-00 12x 0415 3728	71-34884-00 6x 0428 3576 	71-38922-00 6x 0429 2820 	10-35979-02 0420 4453 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-33352-00 0425 0634 Gummi  71-33356-00 0425 2217 Stahl 	70-27408-00 16x 0415 3728	71-38978-00 0425 2298 	71-33209-00 2x 0428 4670 	70-31414-10 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM
71-33017-00 0425 0218 Stahl  71-33083-00 0425 0612 Gummi 	70-27408-00 24x 0415 3728	71-38978-00 0425 2298 	71-33209-00 3x 0428 4670 	70-31414-10 	81-36021-00 K ← 0425 3372 74x95x11 FPM Filz 81-23113-40 K → 0419 2534 120x140x13 AB SL FPM/ACM

←



→



K




N




(A)



DEUTZ 				
TCD 2013 L4 2V [NEW]	4 Zyl.	01-38974-01 0293 1763 	61-43165-00 0429 2652 1,53 mm 2  MLS 61-43165-10 0429 2653 1,63 mm 3  	
TCD 2013 L4 4V [NEW]	4 Zyl.	01-37698-01 0293 7643  	61-36835-00 0490 2563 1,15 mm 1  61-36835-10 0490 2562 1,25 mm 2  	
TCD 2013 L6 2V	6 Zyl.	01-38971-01 0293 1663 	61-37570-00 0429 4194 1,42 mm 1  MLS 61-37570-10 0429 4195 1,52 mm 2  MLS 61-37570-20 0429 4196 1,62 mm 3  	
TCD 2013 L6 4V [NEW]	6 Zyl.	01-39468-01 0293 7644  	61-36840-00 0490 0688 109,5 $\varnothing$ 1,15 mm 1  61-36840-10 0490 0689 109,5 $\varnothing$ 1,25 mm 2  	
TCD 2015 V6	6 Zyl.	01-33358-06 0293 1719 	61-36485-00 6x 0426 4004 146 $\varnothing$ 1,4 mm 1  61-36485-10 6x 0426 4005 146 $\varnothing$ 1,6 mm 2  61-36485-20 6x 0426 4006 146 $\varnothing$ 1,8 mm 3  	

Ⓔ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
Ⓙ ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



					
71-38974-00 0429 1468 		71-35044-00 2x 0420 0095 	71-38922-00 4x 0429 2820 	10-35976-01 0420 4458 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM
71-37698-00 	70-27408-00 16x 0415 3728	71-37842-00 4x 	71-36731-00 2x 	70-31414-10 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM
71-38971-00 0428 8910 	12-76945-02 0115 3857 (12X)	71-35044-00 3x 0420 0095 	71-38922-00 6x 0429 2820 	10-35976-02 0420 4459 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM
71-39468-00 0490 1626 ACM 	70-27408-00 24x 0415 3728	71-37842-00 3x 	71-36731-00 3x 	70-31414-10 	81-35999-00 K ← 0420 2260 81x104x11 FPM 81-36001-00 K → 0420 2332 130x150x13 FPM/ACM
71-29380-10 0 6x 0422 4392 	70-27408-00 24x 0415 3728	71-36738-00 6x 0422 0148 	71-36756-00 6x 0422 3020 	71-36627-00 0426 3576 	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM
71-33358-00 U 6x 0422 1064 					

O oben / top / haut / arriba / superiore / сверху
U unten / bottom / bas / debajo / inferiore / снизу



DEUTZ				
TCD 2015 V8	8 Zyl.	01-33358-05 12 13 16 0293 1720	61-36485-00 8x 0426 4004 146 Ø 1,4 mm 1 8x 0426 4005 146 Ø 1,6 mm 2 8x 0426 4006 146 Ø 1,8 mm 3	
8220.02.842	6 Zyl.	01-33975-02 13 02-33975-02	61-33975-00 2x 128 Ø	
8360.05.670	6 Zyl.	01-33990-02 13 02-33990-02	61-33990-00 117,5 Ø	
TCD 2011 L04 W TD 2011 L04 W [NEW]	4 Zyl.	01-31579-02 12 13 0293 7562 02-31579-01 12 0293 1741	61-38175-00 0410 2011 1,47 mm MLS 1 0410 2012 1,57 mm MLS 2 0410 2013 1,67 mm MLS 3	14-32252-03 0427 0815 (10x)
TCG 2015 V6 [NEW]	6 Zyl.	01-33358-03 12 13 16 0293 1717	61-36485-00 6x 0426 4004 146 Ø 1,4 mm 1 6x 0426 4005 146 Ø 1,6 mm 2 6x 0426 4006 146 Ø 1,8 mm 3	

16 mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
0 oben / top / haut / arriba / superiore / сверху

71-29380-10 0 8x 0422 4392	70-27408-00 32x 0415 3728	71-36738-00 8x 0422 0148	71-36756-00 8x 0422 3020	71-36947-00 0426 3578	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM
71-33358-00 U 8x 0422 1064					
71-82905-00 2x		71-33926-00	71-82742-00 6x	71-33979-00	81-23112-30 K ← 105x130x12 AB FIL RD PTFE ACM
				71-33984-10 Kork	
71-82903-00 2x		71-45183-00 4x	71-45193-00 3x	71-83011-00 Kork	81-10122-00 K ← 75x100x17 AB SL RD 81-24476-20 K → 125x150x12 A SL LD FPM
71-31579-00 0410 2940	12-27408-01 0415 3728 (8x) 70-27408-00 8x 0415 3728	71-28323-00 4x 0410 2120	71-28380-10 4x 0417 3862	70-31414-10	81-20991-10 K ← 0417 5434 55x75x10 AB SL RD ACM 81-31440-00 K → 0417 5433 105x125x13 A SL LD ACM 81-21909-20 N 0417 5435 45x60x8 A SL RD ACM
71-29380-10 0 6x 0422 4392	12-27408-06 6x 0415 3728 (4x) 70-27408-00 24x 0415 3728	71-36738-00 6x 0422 0148	71-38923-00 6x 0422 8309	71-36627-00 0426 3576	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM
71-33358-00 U 6x 0422 1064					


U unten / bottom / bas / debajo / inferiore / снизу



DEUTZ				
TCG 2015 V8	8 Zyl.	01-33358-04 ⑫ ⑬ ⑯ 0293 1718 	61-36485-00 8x 0426 4004 146 Ø 1,4 mm 1  61-36485-10 8x 0426 4005 146 Ø 1,6 mm 2  61-36485-20 8x 0426 4006 146 Ø 1,8 mm 3 	

⑯ mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
0 oben / top / haut / arriba / superiore / сверху



					
71-29380-10 0 8x 0422 4392  71-33358-00 U 8x 0422 1064 	12-27408-06 8x 0415 3728 (4x) 70-27408-00 32x 0415 3728	71-36738-00 8x 0422 0148 	71-38923-00 8x 0422 8309 	71-36947-00 8x 0426 3578 	81-36757-00 K ← 0422 5441 115x142x15,5 AB FILZ RD FPM 81-36758-00 K → 0422 5442 115x140x15,5 AB FILZ LD FPM

U unten / bottom / bas / debajo / inferiore / снизу

