









SCANIA

SCANIA

 Code	
D	
D 11	434
D 11 R 23	434
D 14	448
D 8	432
D 8.01 B09	432
D 8.02 B09	432
D 8 R 01	432
DC 11.01	436
DC 11.02	436
DC 11.03	436
DC 11.04	436
DC 11.08	440
DC 11.09	440
DC 12.01	444
DC 12.06	448
DC 12.09	448
DC 12.10	448
DC 12.13	448
DC 12.14	448
DC 12.15	448
DC 12.17	448
DC 12.18	448
DC 12.22	448
DC 12.23	448
DC 12.24	448
DC 12.26	448
DC 13.05	448
DC 13.06	448
DC 13.07	448
DC 13.08	448
DC 13.10	448
DC 13.11	448
DC 16.01	450
DC 16.02	450
DC 16.03	450
DC 16.04	450
DC 16.05	450
DC 16.06	450
DC 16.08	450
DC 16.09	450
DC 16.17	450
DC 16.18	450
DC 16.19	450
DC 16.21	450


 Code	
DC 9.01	432
DC 9.02	432
DC 9.03	432
DC 9.04	432
DC 9.05	432
DC 9.06	432
DC 9.11	434
DC 9.12	434
DC 9.13	434
DC 9.16	434
DC 9.17	434
DC 9.18	434
DC 9.20	434
DN 11.01	438
DN 11.01 B10	438
DN 11.01 C 09	438
DN 11.04 B10	438
DN 11.04 C 01	438
DN 11.06	438
DN 11.06 B	438
DN 11.06 C	438
DN 11.07	438
DN 11.08	438
DN 11.08 B01	438
DN 8.01	432
DN 9.01	432
DS 11	436
DS 11.01	436
DS 11.01 B 06	436
DS 11.02	436
DS 11.10	436
DS 11.14	442
DS 11.15	442
DS 11.15 B	436
DS 11.18	436
DS 11.22	436
DS 11.23	436
DS 11.25	436
DS 11.34	436
DS 11.34 B	436
DS 11.34 B0 6	436
DS 11.34 C	436
DS 11.71	436
DS 11.71 C	436
DS 11.72	436

 Code	
DS 11.73	444
DS 11.73 B	436
DS 11.74	436
DS 11.74 C	436
DS 11.75	444
DS 11.76	436
DS 11.77	436
DS 11.78	436
DS 14	448
DS 14.01	448
DS 14.01 L 01	448
DS 14.06	448
DS 14.06 L 01	448
DS 14.07	448
DS 14 LB 05	448
DS 14 LB 08	448
DS 8	432
DS 8.01	432
DS 8.01 B10	432
DS 8.01 B11	432
DS 8.01 B12	432
DS 8.05	432
DS 8.05 B	432
DS 8.06	432
DS 9.01	432
DS 9.02	432
DS 9.03 B 01	432
DS 9.03 B 02	432
DS 9.05	432
DS 9.05 B 01	434
DS 9.05 B 02	432
DS 9.06	432
DS 9.08	432
DSC 11.01	438
DSC 11.06	440
DSC 11.08	440
DSC 11.13	440
DSC 11.16	440
DSC 11.17	440
DSC 11.18	440
DSC 11.21	440
DSC 11.22	440
DSC 11.23	440
DSC 11.24	440
DSC 11.30	440

 Code	
DSC 11.35	440
DSC 11.39	440
DSC 11.70	440
DSC 11.79	444
DSC 11.81	438
DSC 12.01	446
DSC 12.02	446
DSC 12.05	446
DSC 14.01	448
DSC 14.02	448
DSC 14.03	448
DSC 14.03 L07	448
DSC 14.04	448
DSC 14.05	448
DSC 14.06	448
DSC 14.07 L 01	448
DSC 14.08	448
DSC 14.09	448
DSC 14.10	448
DSC 14.13	450
DSC 14.15	450
DSC 14.16	448
DSC 9.01	432
DSC 9.02	432
DSC 9.07	432
DSC 9.08	432
DSC 9.09	432
DSC 9.10	432
DSC 9.11	432
DSC 9.12	432
DSC 9.13	432
DSC 9.15	432
DSI 8.01	432
DSI 8.01 B	432
DT 12.06	448
DT 12.11	448
DT 12.12	448
DT 12.14	448
DT 12.17	448
DT 12.18	448
DTC 11.01	438
DTC 11.02	438

 Code	
--	---

 Code	
--	---

 Code	
--	---

 Code	
--	---

SCANIA					
D 8 D 8 R 01 D 8.01 B09 D 8.02 B09		01-25380-06 ⑬ ⑯ 550 180 02-25380-02 3x 550 182	61-25380-10 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131,5 ∅ 1,2 mm 		
DS 8 DS 8.01 DS 8.01 B10 DS 8.01 B11 DS 8.01 B12		01-25380-07 ⑬ ⑯ 550 189 ① 01/80→ 02-25380-02 3x 550 182	61-25380-10 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131,5 ∅ 1,2 mm 		
DN 8.01 DSI 8.01 DSI 8.01 B DS 8.05 DS 8.05 B DS 8.06	2 - series 01/81→	01-25380-07 ⑬ ⑯ 550 189 02-25380-02 3x 550 182	61-25380-10 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131,5 ∅ 1,2 mm 		
DC 9.01 DC 9.02 DC 9.03 DC 9.04 DC 9.05 DC 9.06	P,G,R,T - series 4 - series 08/96→	01-31160-03 ⑬ ⑯ 551 560 01-31160-04 ⑬ ⑰ 03-31160-02 ⑱ ⑳ 551 570 03-31160-03 ⑱ ㉑ 551 573 15-76936-01 ③ 6x 1 302 827 +323 622 (2x)	61-31160-00 6x 1 403 258 134 ∅ 1,3 mm 	14-32284-01 6x 346 318 (6x) 	
DN 9.01 DS 9.01 DSC 9.01 DS 9.02 DSC 9.02 DS 9.03 B 01 DS 9.03 B 02 DS 9.05 DS 9.05 B 02 DS 9.06 DSC 9.07 DS 9.08 DSC 9.08 DSC 9.09 DSC 9.10 DSC 9.11 DSC 9.12 DSC 9.13 DSC 9.15	2 - series 3 - series 3 - series bus 4 - series 01/85→	01-31160-01 ⑬ ⑯ 551 449 01-31160-02 ⑬ ⑰ 03-31160-01 ⑱ 551 484 15-76936-01 ③ 6x 1 302 827 +323 622 (2x)	61-31160-00 6x 1 403 258 134 ∅ 1,3 mm 	14-32284-01 6x 346 318 (6x) 	

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



71-12998-00 3x 258 458 		71-25039-10 3x 277 662 	71-23821-20 3x 257 209 	10-25031-03 550 037 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-12998-00 3x 258 458 		71-25039-10 3x 277 662 	71-23821-20 3x 257 209 	10-25031-03 550 037 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-12998-00 3x 258 458 		71-25039-10 3x 277 662 	71-23821-20 3x 257 209 	10-25031-03 550 037 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-36516-00 ⑳ 6x 1 420 776 	12-36416-02 1 304 293 (12x) 70-36416-00 12x 1 304 293	71-36402-00 2x 1 437 296 	71-36414-00 6x 1 336 138 	10-26973-01 551 450 71-36417-00 1 412 666 	81-25013-30 K ← 369 477 80x100x12 B SL RD PTFE 81-25014-20 K → 369 478 130x160x13 A SL LD PTFE
71-40009-00 ㉑ 6x 1 425 921 ACM 					
71-27116-10 6x 344 426 		71-26601-10 6x 329 498 	71-26608-20 5x 364 791 71-26609-20 1x 364 792 	10-26973-01 551 450 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 ㉑ Zylinderkopfhauptmaterial Aluminium / valve cover material aluminium / couvre-culasse aluminium / material culata aluminio / materiale coperchio valvole in alluminio / материал кожуха головки блока цилиндров - алюминий
 ㉒ Zylinderkopfhauptmaterial Kunststoff / valve cover material plastic / joint couvre-culasse matière plastique / material culata plástico / materiale coperchio valvole in plastica / материал кожуха головки блока цилиндров - пластик



SCANIA						
DS 9.05 B 01			1	01-31160-01 ⑬ ⑯ 551 449 01-31160-02 ⑬ ⑰ 03-31160-01 ⑯ 551 484 15-76936-01 ③ 6x 1 302 827 +323 622 (2x)	61-31160-00 6x 1 403 258 134 Ø 1,3 mm 	14-32284-01 6x 346 318 (6x)
DC 9.11 DC 9.12 DC 9.13 DC 9.16 DC 9.17 DC 9.18 DC 9.20	P,G,R,T - series 4 - series		09/04→	03-34885-02 ⑯ 1 725 112 	61-34885-00 5x 1 468 555 133 Ø 1 mm 	14-32285-01 5x 1 852 442 (6x)
D 11 D 11 R 23				01-25020-08 ⑬ ⑯ 550 181 01/75-12/79 01-31220-01 ⑬ ⑯ 551 430 01/75-12/79 01-31220-06 ⑬ ⑰ 01/75-12/79 02-24805-02 2x 550 150 →12/74 02-25020-05 2x 550 183 01/75-12/79 02-31220-01 ⑯ 2x 551 456 01/75-12/79 15-76937-01 ③ 6x 01/75-12/79 61-24805-20 2x 177 014 144 Ø 1,5 mm →12/74 61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø 01/75-12/79 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 01/75-12/79 	14-32284-02 2x 346 318 (16x) 	

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



71-27116-10 6x 344 426 		71-26601-10 6x 329 498 	71-26608-20 6x 364 791 	10-26973-01 551 450 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-38379-00 U 5x 1 449 542 	12-36004-02 5x 1 920 860 (4x) 70-36004-10 20x 1 920 860 	71-34951-10 5x 1 516 474 	71-34874-00 5x 1 309 051 	71-39649-00 1 744 776 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM
71-12994-20 2x 258 459 		71-24808-10 2x 277 632 	71-23329-10 2x 277 273 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
			71-23331-10 2x 277 272 		

⑯ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу




SCANIA					
DS 11 DS 11.01 DS 11.01 B 06 DS 11.02 DS 11.10 DS 11.15 B DS 11.18 DS 11.22 DS 11.23 DS 11.25 DS 11.34 DS 11.34 B DS 11.34 C DS 11.34 B0 6 DS 11.71 DS 11.71 C DS 11.72 DS 11.73 B DS 11.74 DS 11.74 C DS 11.76 DS 11.77 DS 11.78					
		1			
			<p>01-25020-08 ⑬ ⑯ 550 181 ① 01/75-12/79 01-31220-01 ⑬ ⑯ 551 430 ① 01/75-12/79 01-31220-06 ⑬ ⑰ ① 01/75-12/79 01-31220-02 ⑬ ⑯ 551 459 ① 01/80→ →5307928SSS 01-31220-03 ⑬ ⑰ ① 01/80→ →5307928SSS 01-31220-04 ⑬ ⑯ 551 504 →5307929SSS→ 01-31220-05 ⑬ ⑰ →5307929SSS→ 02-24805-02 2x 550 150 ① →12/74 02-25020-05 2x 550 183 ① 01/75-12/79 02-31220-01 ⑱ 2x 551 456 ① 01/75→ →5307928SSS 02-31220-02 ⑱ 2x 551 500 →5307929SSS→ 15-76937-01 ③ 6x ① 01/75→ →5307928SSS 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) →5307929SSS→</p>	<p>61-24805-20 2x 177 014 144 Ø 1,5 mm ① →12/74 61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø ① 01/75-12/79 →5307928SSS 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS ① 01/80→ </p>	<p>14-32284-02 2x 346 318 (16x) </p>
DC 11.01 DC 11.02 DC 11.03 DC 11.04	4 - series	03/98→	<p>01-34880-01 ⑬ ⑯ 551 356 →6 119 599 SSS, 8 004 779 SLA 03-34880-01 ⑱ 551 363 →6 119 599 SSS, 8 004 779 SLA 03-34885-01 ⑱ 550 469 →6 119 600 SSS, 8 004 780 SLA→ 15-77006-01 ③ 6x 1 862 376 +1 328 995 (1x)</p>	<p>61-34880-00 6x 1 444 941 133 Ø 1 mm →6 119 599 SSS, 8 004 779 SLA 61-34885-00 6x 1 468 555 133 Ø 1 mm →6 119 600 SSS, 8 004 780 SLA→ </p>	<p>14-32285-01 6x 1 852 442 (6x) </p>

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



<p>71-12994-20 2x 258 459 </p>		<p>71-24808-10 2x 277 632 ① 01/75→ →5307928SSS 71-31163-10 4x 1 384 554 →5307929SSS→ 71-31164-10 2x 1 301 629 →5307929SSS→ </p>	<p>71-23329-10 2x 277 273 ① 01/75→ →5307928SSS 71-23331-10 2x 277 272 ① 01/75→ →5307928SSS 71-31161-10 L 2x 378 264 →5307929SSS→ 71-31162-20 R 2x 1 109 288 →5307929SSS→ </p>	<p>10-24802-05 550 036 </p>	<p>81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM</p>
<p>71-35177-00 0 6x 1 401 984 →5731560→ 71-35179-00 6x 1 411 851 →5731560→ 71-35178-00 U 6x 1 542 104 71-35181-00 6x 1 414 422 </p>	<p>70-36004-10 24x 1 920 860</p>	<p>71-34951-00 6x 1 404 306 </p>	<p>71-34874-00 6x 1 309 051 </p>	<p>10-35993-01 551 351 </p>	<p>81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM</p>

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 0 oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу



SCANIA						
DN 11.01 DN 11.01 C 09 DN 11.01 B10 DN 11.04 C 01 DN 11.04 B10 DN 11.06 DN 11.06 B DN 11.06 C DN 11.07 DN 11.08 DN 11.08 B01		1	01-31220-02 ⑬ ⑯ 551 459 01-31220-03 ⑬ ⑰ 02-31220-01 ⑱ 2x 551 456 15-76937-01 ③ 6x	61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø ⓘ →12/79 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS ⓘ 01/80→ 		
DSC 11.01			01-31220-02 ⑬ ⑯ 551 459 ⓘ 01/80→ ➔ 4070104SN 01-31220-03 ⑬ ⑰ ⓘ 01/80→ ➔ 4070104SN 01-31220-04 ⑬ ⑯ 551 504 ➔ 4070105SN→ 01-31220-05 ⑬ ⑰ ➔ 4070105SN→ 02-31220-01 ⑱ 2x 551 456 ⓘ 01/80→ ➔ 4070104SN 02-31220-02 ⑱ 2x 551 500 ➔ 4070105SN→ 15-76937-01 ③ 6x ⓘ 01/80→ ➔ 4070104SN 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) ➔ 4070105SN→	61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø ⓘ →12/79 ➔ 4070104SN 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS ⓘ 01/80→ 		
DTC 11.01 DTC 11.02 DSC 11.81	3 - series 3 - series bus	01/91-12/97	02-31220-03 ⑱ 551 525 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x)	61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 		

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⓘ mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильзы цилиндров



71-12994-20 2x 258 459 		71-24808-10 2x 277 632 	71-23329-10 2x 277 273 71-23331-10 2x 277 272 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-12994-20 2x 258 459 		71-24808-10 2x 277 632 ⓘ 01/80→ ➔ 4070104SN 71-31163-10 4x 1 384 554 ➔ 4070105SN→ 71-31164-10 2x 1 301 629 ➔ 4070105SN→ 	71-23329-10 2x 277 273 ⓘ 01/80→ ➔ 4070104SN 71-23331-10 2x 277 272 ⓘ 01/80→ ➔ 4070104SN 71-31161-10 L 2x 378 264 ➔ 4070105SN→ 71-31162-20 R 2x 1 109 288 ➔ 4070105SN→ 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD PTFE
71-12994-20 2x 258 459 		71-31163-10 4x 1 384 554 71-33561-00 2x 1 384 555 	71-31161-10 L 2x 378 264 71-31162-20 R 2x 1 109 288 	10-24802-03 371 503 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM

⑰ ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильзы цилиндров
 ⓘ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



SCANIA					
DSC 11.06 DSC 11.08 DSC 11.35		1	01-31220-02 ⑬ ⑯ 551 459 → 4070104SN 01-31220-03 ⑬ ⑰ → 4070104SN 01-31220-04 ⑬ ⑯ 551 504 → 4070105SN→ 01-31220-05 ⑬ ⑰ → 4070105SN→ 02-31220-01 ⑱ 2x 551 456 → 4070104SN 02-31220-02 ⑱ 2x 551 500 → 4070105SN→ 15-76937-01 ③ 6x → 4070104SN 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 4070105SN→	61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 4070104SN 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 	
DC 11.08 DC 11.09	P,G,R,T - series	03/04→	03-34885-02 ⑱ 1 725 112	61-34885-00 6x 1 468 555 133 Ø 1 mm 	14-32285-01 1 852 442 (6x)
DSC 11.13 DSC 11.16 DSC 11.17 DSC 11.18 DSC 11.21 DSC 11.22 DSC 11.23 DSC 11.24 DSC 11.30 DSC 11.39 DSC 11.70	3 - series 3 - series bus	05/88→	01-31220-02 ⑬ ⑯ 551 459 → 4070104SN 01-31220-03 ⑬ ⑰ → 4070104SN 01-31220-04 ⑬ ⑯ 551 504 → 4070105SN→ 01-31220-05 ⑬ ⑰ → 4070105SN→ 02-31220-01 ⑱ 2x 551 456 → 4070104SN 02-31220-02 ⑱ 2x 551 500 → 4070105SN→ 15-76937-01 ③ 6x → 4070104SN 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 4070105SN→	61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 4070104SN 61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 	

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



71-12994-20 2x 258 459 		71-24808-10 2x 277 632 → 4070104SN 71-31163-10 4x 1 384 554 → 4070105SN→ 71-31164-10 2x 1 301 629 → 4070105SN→ 	71-23329-10 2x 277 273 → 4070104SN 71-23331-10 2x 277 272 → 4070104SN 71-31161-10 L 2x 378 264 → 4070105SN→ 71-31162-20 R 2x 1 109 288 → 4070105SN→ 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-38379-00 U 6x 1 449 542 71-38381-00 O 6x 1 505 366 	70-36004-10 24x 1 920 860	71-34951-10 6x 1 516 474 	71-34874-00 6x 1 309 051 		81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM
71-12994-20 2x 258 459 		71-24808-10 2x 277 632 → 4070104SN 71-31163-10 4x 1 384 554 → 4070105SN→ 71-31164-10 2x 1 301 629 → 4070105SN→ 	71-23329-10 2x 277 273 → 4070104SN 71-23331-10 2x 277 272 → 4070104SN 71-31161-10 L 2x 378 264 → 4070105SN→ 71-31162-20 R 2x 1 109 288 → 4070105SN→ 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу



SCANIA					
DS 11.14		01/81-05/88	01-31220-03 ⑬ ⑰ → 5307928SSS 01-31220-04 ⑬ ⑰ 551 504 → 5307929SSS→ 01-31220-05 ⑬ ⑰ → 5307929SSS→ 02-31220-02 ⑱ 2x 551 500 → 5307929SSS→ 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 5307929SSS→	61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 	14-32284-02 2x 346 318 (16x)
DS 11.15	2 - series	01/81-12/86	01-31220-02 ⑬ ⑰ 551 459 → 5307928SSS 01-31220-03 ⑬ ⑰ → 5307928SSS 01-31220-04 ⑬ ⑰ 551 504 → 5307929SSS→ 01-31220-05 ⑬ ⑰ → 5307929SSS→ 02-31220-01 ⑱ 2x 551 456 → 5307928SSS 02-31220-02 ⑱ 2x 551 500 → 5307929SSS→ 15-76937-01 ③ 6x → 5307928SSS 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 5307929SSS→	61-25020-40 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 5307928SSS 	61-31220-00 2x 373 472 147 Ø 1,3 mm MLS

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑱ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



71-12994-20 2x 258 459 		71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31164-10 2x 1 301 629 → 5307929SSS→ 	71-23329-10 2x 277 273 → 5307928SSS 	10-24802-05 2x 550 036
		71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31164-10 2x 1 301 629 → 5307929SSS→ 	71-23331-10 2x 277 272 → 5307928SSS 	
		71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31164-10 2x 1 301 629 → 5307929SSS→ 	71-31161-10 L 2x 378 264 → 5307929SSS→ 	
		71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31164-10 2x 1 301 629 → 5307929SSS→ 	71-31162-20 R 2x 1 109 288 → 5307929SSS→ 	
71-12994-20 2x 258 459 		71-24808-10 2x 277 632 → 5307928SSS 	71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-23329-10 2x 277 273 → 5307928SSS 	10-24802-05 2x 550 036
		71-24808-10 2x 277 632 → 5307928SSS 	71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-23331-10 2x 277 272 → 5307928SSS 	
		71-24808-10 2x 277 632 → 5307928SSS 	71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31161-10 L 2x 378 264 → 5307929SSS→ 	
		71-24808-10 2x 277 632 → 5307928SSS 	71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31162-20 R 2x 1 109 288 → 5307929SSS→ 	
		71-24808-10 2x 277 632 → 5307928SSS 	71-31163-10 4x 1 384 554 → 5307929SSS→ 	71-31161-10 L 2x 378 264 → 5307929SSS→ 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM

⑰ ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров
 ⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров



SCANIA						
DS 11.73 DS 11.75			05/88→	01-31220-02 ⑬ ⑯ 551 459 →5307928SSS 01-31220-03 ⑬ ⑰ →5307928SSS 01-31220-04 ⑬ ⑯ 551 504 →5307929SSS→ 01-31220-05 ⑬ ⑰ →5307929SSS→ 02-31220-01 ⑱ 2x 551 456 →5307928SSS 02-31220-02 ⑱ 2x 551 500 →5307929SSS→ 15-76937-01 ③ 6x →5307928SSS 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x) →5307929SSS→	61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 	14-32368-01 2x 225 898 (11x) +258 508 (3x) →5317472SSS 14-32284-03 2x 346 318 (11x) +358 148 (3x) →5317473SSS→
DSC 11.79	4 - series		05/96→	01-31220-07 ⑫ ⑬ ⑯ 551 528 02-31220-03 ⑱ 2x 551 525 15-76937-03 ③ 6x 1 312 934 (2x) +1 302 828 (1x)	61-31220-00 2x 373 472 147 Ø 1,3 mm MLS 	14-32284-03 2x 346 318 (11x) +358 148 (3x)
DC 12.01	4 - series		05/96→	01-34880-01 ⑬ ⑯ 551 356 →6 119 599 SSS, 8 004 779 SLA 03-34880-01 ⑱ 551 363 →6 119 599 SSS, 8 004 779 SLA 15-77006-01 ③ 6x 1 862 376 +1 328 995 (1x)	61-34880-00 6x 1 444 941 133 Ø 1 mm →6 119 599 SSS, 8 004 779 SLA 	14-32285-01 6x 1 852 442 (6x)

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



71-12994-20 2x 258 459 		71-24808-10 2x 277 632 →5307928SSS 71-31163-10 4x 1 384 554 →5307929SSS→ 71-31164-10 2x 1 301 629 →5307929SSS→ 	71-23329-10 2x 277 273 →5307928SSS 71-23331-10 2x 277 272 →5307928SSS 71-31161-10 L 2x 378 264 →5307929SSS→ 71-31162-20 R 2x 1 109 288 →5307929SSS→ 	10-24802-05 550 036 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
15-12994-01 258 459 (2x) 	12-36416-02 1 304 293 (12x) 70-36416-00 12x 1 304 293	71-31163-10 4x 1 384 554 71-33561-00 2x 1 384 555 	71-31161-10 L 2x 378 264 71-31162-20 R 2x 1 109 288 	10-24802-03 371 503 	81-25013-30 K ← 369 477 80x100x12 B SL RD PTFE 81-25014-20 K → 369 478 130x160x13 A SL LD PTFE
71-35177-00 O 6x 1 401 984 →5731560→ 71-35179-00 6x 1 411 851 →5731560→ 71-35178-00 U 6x 1 542 104 71-35181-00 6x 1 414 422 	70-36004-10 24x 1 920 860	71-34951-10 6x 1 516 474 	71-34874-00 6x 1 309 051 	10-35993-01 551 351 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу



SCANIA					
DSC 12.01 DSC 12.02	4 - series	05/95→	01-34880-01 ⑬ ⑯ 551 356 → 6 119 599 SSS, 8 004 779 SLA 01-34885-01 ⑫ ⑬ ⑯ 551 386 +1 392 708 → 6 119 600 SSS, 8 004 780 SLA→ 03-34880-03 ⑱ 551 350 → 3 125 405 SLA, 5 740 731 SSS 03-34885-04 ⑱ 1 765 974 → 6 119 600 SSS, 8 004 780 SLA→ 03-34880-01 ⑱ 551 363 → 3 125 406 SLA, 5 740 732 SSS→ → 6 119 599 SSS, 8 004 779 SLA 15-77006-01 ③ 6x 1 862 376 +1 328 995 (1x)	61-34880-00 6x 1 444 941 133 Ø 1 mm → 6 119 599 SSS, 8 004 779 SLA 61-34885-00 6x 1 468 555 133 Ø 1 mm → 6 119 600 SSS, 8 004 780 SLA→ 	14-32285-01 6x 1 852 442 (6x)
DSC 12.05	4-series	05/96→	01-34880-01 551 356 → 6 119 599 SSS, 8 004 779 SLA 01-34885-01 551 386 +1 392 708 → 6 119 600 SSS, 8 004 780 SLA→ 03-34880-01 551 363 → 6 119 599 SSS, 8 004 779 SLA 03-34885-01 550 469 → 6 119 600 SSS, 8 004 780 SLA→ 15-77006-01 6x 1 862 376 +1 328 995 (1x)	61-34880-00 6x 1 444 941 133 Ø 1 mm → 6 119 599 SSS, 8 004 779 SLA 61-34885-00 6x 1 468 555 133 Ø 1 mm → 6 119 600 SSS, 8 004 780 SLA→ 	14-32285-01 6x 1 852 442 (6x)

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑯ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



71-39524-00 U 6x 1 367 027 → 3 125 405 SLA, 5 740 731 SSS 71-39526-00 O 6x 1 367 028 → 3 125 405 SLA, 5 740 731 SSS 71-35178-00 U 6x 1 542 104 → 3 125 406 SLA, 5 740 732 SSS→ 71-35181-00 O 6x 1 414 422 → 3 125 406 SLA, 5 740 732 SSS→ 	12-36004-01 1 920 860 (24x) 70-36004-10 24x 1 920 860 	71-34951-10 6x 1 516 474 	71-34874-00 6x 1 309 051 	10-35993-01 551 351 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM
71-35178-00 U 6x 1 542 104 71-35177-00 O 6x 1 401 984 → 5 731 918 SSS, 3 123 646 SLA 71-35181-00 O 6x 1 414 422 → 5 731 919 SSS, 3 123 647 SLA→ → 6 119 599 SSS, 8 004 779 SLA Reihenpumpe 71-35179-00 O 6x 1 411 851 → 5 731 919 SSS, 3 123 647 SLA→ PDE 	12-36004-01 1 920 860 (24x) 70-36004-00 24x 1 328 563 	71-34951-10 6x 1 516 474 	71-34874-00 6x 1 309 051 	10-35993-01 551 351 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM

⑱ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу



SCANIA					
DC 12.06 DT 12.06 DC 12.09 DC 12.10 DT 12.11 DT 12.12 DC 12.13 DC 12.14 DT 12.14 DC 12.15 DC 12.17 DT 12.17 DC 12.18 DT 12.18 DC 12.22 DC 12.23 DC 12.24 DC 12.26	P,G,R,T - series	03/04→	03-34885-02 ⑬ 1 725 112	61-34885-00 6x 1 468 555 133 Ø 1 mm 	14-32285-01 6x 1 852 442 (6x)
DC 13.05 DC 13.06 DC 13.07 DC 13.08 DC 13.10 DC 13.11	P,G,R,T - series	07/04→	03-38305-01 ⑬ 1 925 824 15-73556-01 ③ 6x 2 188 199 +1 730 424	61-38305-00 6x 1 892 766 136 Ø 1,1 mm 	14-32285-01 6x 1 852 442 (6x)
D 14			01-31050-02 ⑬ ⑯ 550 184 03-31050-01 ⑬ 550 214 15-76937-03 ③ 8x 1 312 934 (2x) +1 302 828 (1x)	61-31050-00 8x 1 313 459 147 Ø 	
DS 14 DS 14 LB 05 DS 14 LB 08 DS 14.01 DS 14.01 L 01 DS 14.06 DS 14.06 L 01 DS 14.07			01-31050-02 ⑬ ⑯ 550 184 ① →12/79 01-31050-01 ⑬ ⑯ 550 188 ① 01/80→ 01-31050-03 ⑬ ⑰ ① 01/80→ 03-31050-01 ⑬ 550 214 15-76937-03 ③ 8x 1 312 934 (2x) +1 302 828 (1x)	61-31050-00 8x 1 313 459 147 Ø 	
DSC 14.01 DSC 14.02 DSC 14.03 DSC 14.03 L07 DSC 14.04 DSC 14.05 DSC 14.06 DSC 14.07 L 01 DSC 14.08 DSC 14.09 DSC 14.10 DSC 14.16	3 - series	01/88→	01-31050-01 ⑬ ⑯ 550 188 01-31050-03 ⑬ ⑰ 03-31050-01 ⑬ 550 214 15-76937-03 ③ 8x 1 312 934 (2x) +1 302 828 (1x)	61-31050-00 8x 1 313 459 147 Ø 	

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / sin anillos de camisa de cilindro / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



71-38379-00 U 6x 1 449 542 71-38381-00 O 6x 1 505 366 	12-36004-01 1 920 860 (24x) 12-36004-02 6x 1 920 860 (4x) 70-36004-10 24x 1 920 860	71-34951-10 6x 1 516 474 	71-34874-00 6x 1 309 051 	10-35993-01 551 351 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM
71-42916-00 U 6x 1 772 475 71-42917-00 O 6x 1 779 110 	12-36004-02 6x 1 920 860 (4x) 70-36004-10 24x 1 920 860	71-42918-00 6x 1 519 724 	71-42919-00 6x 1 530 112 	71-42909-00 1 520 507 71-42911-00 1 888 065 	81-42913-00 K ← 1 520 998 135x153x13 AB RD PTFE 81-42912-00 K → 1 786 563 155x185x13 A SL LD PTFE
71-24794-10 8x 1 305 959 		71-26578-10 8x 371 510 	71-24796-20 8x 369 276 	10-25113-01 551 438 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-24794-10 8x 1 305 959 		71-26578-10 8x 371 510 	71-24796-20 8x 369 276 	10-25113-01 551 438 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-24794-10 8x 1 305 959 		71-26578-10 8x 371 510 	71-24796-20 8x 369 276 	10-25113-01 551 438 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM

⑬ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу



SCANIA					
DSC 14.13 DSC 14.15	4 - series	09/95→	01-31050-04 ⑬ ⑮ 551 370 03-31050-01 ⑮ 550 214 15-76937-03 ③ 8x 1 312 934 (2x) +1 302 828 (1x)	61-31050-00 8x 1 313 459 147 ∅ 	
DC 16.01 DC 16.02 DC 16.04 DC 16.05 DC 16.06 DC 16.08 DC 16.09 DC 16.17 DC 16.18 DC 16.19	P,G,R,T - series 4 - series	05/00→	01-34885-02 ⑫ ⑬ 551 387 +1 542 104 (8x) +1 505 366 (8x) ① →09/03 03-34885-01 ⑮ 550 469 →1018724SSS 03-34885-02 ⑮ 1 725 112 →1018725SSS→ 15-77006-01 ③ 8x 1 862 376 +1 328 995 (1x)	61-34885-00 8x 1 468 555 133 ∅ 1 mm 	14-32285-01 8x 1 852 442 (6x)
DC 16.03 DC 16.04 DC 16.05 DC 16.06 DC 16.08 DC 16.09 DC 16.17 DC 16.18 DC 16.19 DC 16.21	P,G,R,T - series	01/04→	03-34885-01 ⑮ 550 469 →1018724SSS 03-34885-02 ⑮ 1 725 112 →1018725SSS→ 15-77006-01 ③ 8x 1 862 376 +1 328 995 (1x)	61-34885-00 8x 1 468 555 133 ∅ 1 mm 	14-32285-01 8x 1 852 442 (6x)

[NEW]

[NEW]

③ Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / juego de juntas para camisa de cilindro / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑮ mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anillos para camisa de cilindro / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



71-24794-10 8x 1 305 959 	70-36416-00 16x 1 304 293	71-26578-10 8x 371 510 	71-24796-20 6x 369 276 71-37111-00 2x 390 918 	71-25113-10 170 700 	81-25013-10 K ← 338 643 80x100x12 B SL RD FPM 81-25014-10 K → 231 938 130x160x15 A SL LD FPM
71-35178-00 U 8x 1 542 104 →1018724SSS 	12-36004-02 8x 1 920 860 (4x) 70-36004-10 32x 1 920 860	71-34951-10 8x 1 516 474 	71-34874-00 8x 1 309 051 	71-37932-00 1 744 775 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM
71-35178-00 U 8x 1 542 104 →1018724SSS 	12-36004-02 8x 1 920 860 (4x) 70-36004-10 32x 1 920 860	71-34951-10 8x 1 516 474 	71-34874-00 8x 1 309 051 	71-37932-00 1 744 775 	81-35997-00 K ← 1 392 708 120x140x12 A SL RD PTFE FPM 81-35996-00 K → 1 433 183 145x175x13 A SL PTFE FPM

⑮ für einen Zylinderkopf / for one cylinder head / pour une culasse / para una culata de cilindro / per una testata / для головки блока цилиндров
 O oben / top / haut / arriba / superiore / сверху
 U unten / bottom / bas / debajo / inferiore / снизу

